

12-40-12

GUARANTEED ANALYSIS

Total Nitrogen (N) 12.0% 8.1% Ammoniacal Nitrogen 3.9% Nitrate Nitrogen Available Phosphate (P ₂ O ₅) 40.0% Soluble Potash (K ₂ O) 12.0% Boron (B) 0.03% Copper (Cu) 0.05% 0.05% Chelated Copper (Cu) 0.10% Manganese (Mn) 0.10% 0.10% Chelated Manganese (Mn) 0.02% Zinc (Zn) 0.10% 0.10% Chelated Zinc (Zn) 0.10%		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		12.0%
Soluble Potash (K₂O) 12.0% Boron (B) 0.03% Copper (Cu) 0.05% 0.05% Chelated Copper (Cu) 0.10% Manganese (Mn) 0.10% 0.10% Chelated Manganese (Mn) 0.02% Zinc (Zn) 0.10%	•	
Boron (B) 0.03% Copper (Cu) 0.05% 0.05% Chelated Copper (Cu) 0.10% Manganese (Mn) 0.10% 0.10% Chelated Manganese (Mn) 0.02% Molybdenum (Mo) 0.02% Zinc (Zn) 0.10%	Available Phosphate (P ₂ O ₅)	40.0%
Copper (Cu) 0.05% 0.05% Chelated Copper (Cu) 0.10% Manganese (Mn) 0.10% 0.10% Chelated Manganese (Mn) 0.02% Molybdenum (Mo) 0.10% Zinc (Zn) 0.10%	Soluble Potash (K ₂ O)	12.0%
0.05% Chelated Copper (Cu) Manganese (Mn)	Boron (B)	0.03%
0.10% Chelated Manganese (Mn) Molybdenum (Mo)		0.05%
Zinc (Zn)		.0.10%
	Molybdenum (Mo)	0.02%
	,	0.10%

Derived from Monoammonium Phosphate, Monopotassium Phosphate, Ammonium Nitrate, Boric Acid, Copper EDTA, Manganese EDTA, Ammonium Molybdate, and Zinc EDTA

F002162

WARNING: THE APPLICATION OF FERTILIZING MATERIALS CONTAINING MOLYBDENUM (Mo) MAY RESULT IN FORAGE CROPS CONTAINING LEVELS OF MOLYBDENUM (Mo) THAT ARE TOXIC TO GRAZING ANIMALS.

WARNING: THIS FERTILIZER CONTAINS BORON (B). THE USE OF THIS FERTILIZING MATERIAL ON ANY CROPS OTHER THAN THOSE RECOMMENDED MAY RESULT IN SERIOUS INJURY TO THE CROP(S).

DIRECTIONS FOR USE

ProAcqua[™] brand products can be used on all crops grown under field or controlled environments. They are designed to be part of a balanced fertility program. Recommended rates should take into account 1) soil properties (nutrient rates, pH, organic matter, cation exchange capacity); 2) irrigation water properties (alkalinity, soluble salts, pH); 3) weather conditions; 4) tank mix; 5) general crop health; and 6) crop stage. Application of our products at the right time and right place will ensure maximum efficiency.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to, a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

When making foliar applications do not mix with strong basic materials (lime, lime sulfur, KOH) or spray oils. Can be mixed with a wide range of crop protectants. Consult the crop protectant label for any information on possible antagonism with certain fertilizers blends.

	FIELD-GREENHOUSE CROPS				
CROP GROUPS	Foliar (Use in at least 10 gallons of water per acre)	Irrigated	Intermediate Application	TIMING / COMMENTS	
FIELD AND ROW CROPS: Including but not limited to: Corn, Cotton, Soybeans, Wheat, Sorghum, Dry Beans, Sugar Beets, Peanuts, Potato, Sweet potato, etc.	1 to 2 lbs. per acre	5 to 10 lbs per acre	1.5 lbs per 100 gallons of water every 2 weeks	Apply during the vegetative stages of the crop, or when the crop has been stressed.	
VEGETABLES AND VINE CROPS: Including but not limited to: Leafy vegetables (Spinach, Lettuce, Cabbage, Collards), Fruiting Vegetable (Tomatoes, Pepper, Eggplant), Roots (Carrots, Onions, Garlic), Vine (Cucumber, Melons, Watermelon, Squash), etc.	1 to 2 lbs. per acre	5 to 10 lbs per acre	1.5 lbs per 100 gallons of water every 2 weeks	Apply during the vegetative stages of the crop, or when the crop has been stressed.	
TREE CROPS: Including but not limited to: Fruit (Citrus, Apples, Apricots, Cherries, Pears), Nuts (Almonds, Pistachios, Pecans, Walnuts), Tropical (Mango, Coffee, Cocoa, Papaya, Avocado), etc.	2 to 5 lbs. per acre	5 to 20 lbs per acre	3 lbs per 100 gallons of water every	Apply during the vegetative stages of	
BERRIES AND SMALL FRUIT: Including but not limited to: Grapes (Table, Raisin, and Wine), Strawberries, Blueberries, Raspberries, etc.	1 to 2 lbs per acre	5 to 20 lbs per acre	2 weeks	the crop, or when the crop has been stressed.	
HERBS AND SPICES: Including but not limited to: Allspice, Mint, Oregano, Cilantro, Parsley, Vanilla, Thyme, etc.	Herbs can be sensitive to foliar nutrient applications. Please test in a small area before using.	5 to 10 lbs per acre	1.5 lbs. per 100 gallons of water every 2 weeks		
GRASS AND FORAGE CROPS: Including but not limited to: Alfalfa, Timothy, Fescues, etc.	1 to 2 lbs. per acre	5 to 10 lbs per acre	1.5 lbs per 100 gallons of water every 2 weeks	Apply throughout the growing season.	
ORNAMENTALS: Including but not limited to: Potted Flowering Plants, Potted leafy Plants, Palms, Cut Flowers, etc.	1 to 2 lbs. per acre	5 to 10 lbs per acre	1.5 lbs per 100 gallons of water every 2 weeks		

GUARANTEED BY: COMPASS MINERALS USA INC. 9900 W. 109TH ST. OVERLAND PARK, KS 66210 1-800-551-8216

WWW.COMPASSMINERALS.COM
For Foliar, Fertigation and Hydroponic Use

Mixed Mineral Fertilizer

KEEP OUT OF REACH OF CHILDREN

DANGER







This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

May intensify fire; oxidizer. Causes skin irritation. Causes serious eye irritation. May damage fertility or the unborn child. May cause respiratory irritation.

Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat. Keep/Store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles. Avoid breathing dust. Use only outdoors or in a well-ventilated area. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

Response

In case of fire: Use appropriate media to extinguish. If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. Specific treatment (see information on this label). If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. If exposed or concerned: Get medical advice/attention.

Storage

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations

Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals.html

Warranty Disclaimer: Seller warrants only that this product (i) conforms to the chemical disposition set forth above and (ii) is reasonably suited for the labeled use when all precautions and directions for use stated herein are strictly followed. This limited warranty does not extend to, and buyer assumes all risks of, using this product contrary to label instructions, under abnormal conditions or other conditions not reasonably foreseeable to Seller. Seller makes no warranty of merchantability or fitness for a particular purpose or any other express or implied warranties or claims to buyer except as expressly set forth herein. Seller shall not be liable for special, indirect, incidental, or consequential damages.